















- Certified company-affiliated research institute
- Certified green specialized company
- * Agricultural machinery certification from Foundation of Agri. Tech. Commercialization &Transfer
- * Certified venture company
- Registered on Public Procurement Service's KONEPS
- Patent certification
- ISO quality managementsystem certification

Online purchase channels

- 1) Public Procurement Service (venture.g2b.go.kr) search
- 2 Search for Hyungje Partner/AGREV

HYUNGJΛE PARTNER UTILITY EV

Domestic parts, domestic production, domestic A/S, all about eco-friendly electric vehicles

HYUNGJAE PARTNER UTILITY EV







Hyungje Partner Co., Ltd.73, Okgye 2gongdan-ro, Gumi-si, Gyeongsangbukdo (National Industrial Complex 2) Customer Center: +82-54-471-3541 / +82-70-4618-3542 Service Inquiry: +82-10-3505-2702


www.hjp.kr





HYUNGJAE PARTNER





CEO of Hyungje Partner Kim Jeong-wan



World's first combination of electric utility car and tractor



AGREV21-CA NEW

World's first combination of electric utility car and tracto

2012 ~ 2015

History

2016 ~ 2019

2012. 10 Establishment of Hyungje Partner AGREV trademark registration 2016.09 2020.04 2013. 11 Certified as a venture company 2017. 09 Registered as a Public Procurement Service Sprout Company / 2020.08 Applied for Public Procurement Service procurement product Production of domesticall massproduced 2014. 01 model of agricultural electric carrier 2018.10 AGREV10 registered on Public Procuremen Service Venture Korea 2020.12 2015. 04 National certification of Dalgujie 7 2019. 03 NDA signed with VIN Group, Vietnam 2021.02 Establishment of own factory in Gumi 2021.11 2019, 10 MOU signed with S.S.C, India / Establishment of Hyungje Partner Co., Ltd. National Industrial Complex 2019. 11 Received Minister's Award from Ministry of SMEs and Startups 2015. 12 National certification of AGREV10

Eco-friendly

Electric cars

2020 ~2024

0			
2020. 04	Selected for export voucher by Ministry of SMEs and Startups, Public Procurement Service	2022. 12	Launch of new AGREV23-CA 5-seater golf cart
		2023. 03	MOU signed with Dongyang Industrial Co.,Ltd.
2020.08	Certified as a venture company by Public Procurement Service Selected for Smart Factory Construction Support Project	2024. 05	Agreement signed with Kanematsu Corporation Japa
2020. 12	Development of new product AGREV21 vehicle in Gyeongsangbuk-	2024. 06	Export to the United States (California)
2021. 02	do Launch of domestically massproduced model AGREV21	2024. 10	HJP - Golf car
2021.11	Production of 6-seater roof for new electric cart	2024. 11	Development of AGR21 for U.S. export
2021. 11	Improved production of seats for electric carts		
2021.12	Research and production of improved knuckle mold		

Exhibitions and Promotional Activities

















Korea Automotive Industry Exhibition



















Certification Status

- 10-13816940versaturation type electronic brake 2014,03,31,
- 10-1637176 Electronic differential lock 2016.07.01.
- 10-0159120 Wheelchair boarding device for vehicle driver's seat 2016.11.28.
- 10-0164837 Reducer to prevent bearing wear due to helix gear thrust 2016.12.06.
- 10-1993663 Reducer with built-in differential lock 2019.06.21

Registrations (3)

- Agricultural electric vehicle 2017. 09. 27.
- Body frame for electric utility car2022, 06, 17.
- · Cabin for electric utility car 2022. 07. 29.

• Trademark Registration 2016. 09.19.

Certifications (2)

- Commercialization & Transfer, 2015.04.14. • Comprehensive agricultural machinery testing: AGREV10, 15-MG-226, Foundation of Agri, Tech.
- Commercialization & Transfer, 2015.12.29.

• Comprehensive agricultural machinery testing: Dalgujie 7, 15-MG-055, Foundation of Agri. Tech.

Commendations and Other

Certifications (6)

- Green Technology Product Confirmation: GTP-16-00296, Ministry of Agriculture, Food and Rural Affairs, 2016.12.01.
- ICT Promising Company (KGlobal300)): Ministry of Science and ICT, 2016.12.29.
- Public Procurement Service Sprout Company Designation: : 2017,09,06.
- Public Procurement Service Venture Startup Innovation Procurement Product Selection: 2017,09.29.
- Green Specialized Company: GE-16-00026, Ministry of Agriculture, Food and Rural Affairs, 2019.11.14.

• Green Technology Certification: GT-16-00152, Ministry of Agriculture, Food and Rural Affairs, 2016.12.01.

- Clean Workplace: Korea Occupational Safety and Health Agency, 2014.06.16
- Quality Management System: KSQISO9001:2009/ISO9001:2008, Korea International Standards Certification, 2016.09.24.
- Selected for Priority Purchase Recommendation of Excellent Invention Products: Oversaturation type electronic brake, Korea Invention Promotion Association, 2017.05.23.
- Company-affiliated Research Institute: Korea Industrial Technology Association, 2019.09.02.
- Minister's Award from Ministry of SMEs and Startups, 2019.11.12.
- Venture Company: Korea Technology Finance Corporation, 2020.08.31.

Electric Utility Car Patents

Paten Registrations



Oversaturation type electronic brake




Reducer to prevent bearing wear



Electronic differential lock



differential lock



E ==== ANTHORNE ...

Trademark Registration



7 items of agricultural

Design Registrations



Agricultural electric vehicle



electric utility car



electric utility car

E<mark>WS</mark> Hyungjea Partner Co.,Ltd

World's first combination of electric utility car and tractor

Adding the advantages of tractor cabin to electric utility car

Hyungje Partner Co., Ltd. launches new product 'AGREV23' following 'AGREV21'

Adding the advantages of tractor cabin to electric utility car

Hyungje Partner Co., Ltd. manufactures and supplies electric vehicles based on domestic production, design, and after-sales service, utilizing domestic parts, while securing a diverse lineup of electric vehicles and entering a wide range of markets.

As a member of the Korea EMobility Manufacturing and Distribution Cooperative, the company is activating cooperation with the government and related organizations, and plans to further expand its influence in the market based on the lauunch of new products.



Hyungje Partner Co., Ltd. manufactures and supplies electric vehicles based on domestic production, design, and after-sales service, utilizing domestic parts, while securing a diverse lineup of electric vehicles and entering a wide range of markets.

As a member of the Korea EMobility Manufact uring and Distribution Cooperative , the company is activating cooperation with the government and related organizations, and plans to further expand its influence in the market based on the launch of new products.



Hyungje Partner Co., Ltd., an eco-friendly electric vehicle specialist company, has increased its recognition in the market by continuously expanding its lineup from motordriven agricultural power carriers to medical electric scooters and utility cars.

In particular, Hyungje Partner is continuously developing and producing new products such as highspeed electric vehicles and expanding related infrastructure.





Based on its own technology and research personnel, it develops and produces new items such as electric carts and responds with a systematic process from supply to management. Hyungje Partner, which has continuously expanded its business, has now launcheda new product, AGREV23, backed by the government's E-Mobility project

It is a product that combines the advantages of an electric utility car based on a golf cart and an existing tractor cabin. Hyungje Partner plans to start mass production in the first half of the year, starting with prototype vehicles.

Hyungje Partner has secured an independent brand by applying a curved design, while improving productcompetitiveness by realizing easy boarding through side doors and ensuring stability through a sealed structure.

Hyungje Partner developed individual spaces for the passenger compartment similar to general vehicles, made the driving and operation similar to general passenger car automatic transmission methods, and used ball joints or bushings in each driving joint to improve the durability of the vehicle's undercarriage, resulting in recognition for excellent technology in terms of safety and durability, such as vehicle disc brakes, casting knuckles, and independent suspension.

In particular, Hyungje Partner improved the user's work and moving environmentby using electricity as fuel to eliminate exhaust gases and designing it to block the external environment. Recently, the government is focusing on discovering new markets by leading Mobility businesses that combine electricity and autonomous driving. In response, the industry is reading the trend of future energy by launching vehicles equipped with related technologies in the market.

Hyungje Partner is also continuing its sales growth trend by developing and launching agricultural electric vehicles, and is expanding the distribution of vehicles based on the government's New Deal project.

Hyungje Partner said that the demand for electric vehicles is increasing according to the government's project, and they decided to introduce this new product judging that the demand for ecofriendly electric vehicles will increase.



KOTMI Commercializes Electric Vehicle Parts

HJT Truck CA(10ton) HJP Fire Truck HJP Ambulance

Made from Rice Husks and Kudzu Fibers

Dr. Jung Yong-il's research teammanufactures agricultural electric vehicle parts using CNFDashboard, bumper,etc. 1.8 times stronger than existing plastic parts "Plan to enter North American and Northern European markets after obtaining agricultural machinery certification"



A domestic research team has commercialized agricultural electric vehicle parts using cellulose nanofibers (CNF) extracted from rice husks and kudzu fibers. This is expected to allow preemptive response to the eco-friendly automotive industry market.

The Korea Textile Machinery Convergence Research Institute (KOTMI, Director Sung Ha-kyung) announced on the 9th that it has successfully commercialized major parts for eco-friendly, lowcarbon agricultural electric vehicles, such as dashboards and bumpers, using CNF obtained from waste plant resources such as rice husks and kudzu fibers.





AGREVIO AGREVIO-CA

AGREV7-CA



Agricultural electric vehicle parts based on cellulose nanofibers developed by Dr. Jung Yong -il's team . From left: pellets , prepreg, other parts.

This commercialization achievement was made through the 'E-mobility Global Competitiveness Enhancement Project Applying Eco-friendly Textile Lightweight Composites' supported by Gyeongsangbuk-do and Gyeongsan City. The product development was carried out by Dr. Jung Yong-il's research team from the Bio-convergence Team.

Dr. Jung's research team focused on the resourcecircular use of waste plant resources, separating highcrystallinity, high-stiffness CNF from these resources and applying it to agricultural electric vehicle parts.

Among the developed parts, the electric vehicle dashboard was manufactured by injection molding after producing CNF composite polypropylene pellets.

Other parts such as the front cover, grill, bumper, skirt, and roof were manufactured through the fiber-reinforced composite (FRP) manufacturing process after producing CNF prepreg. In particular, FRP parts boast the same level of weight reduction as existing vacuum-formed plastic parts commonly used in ultra-compact electric vehicles.

It was confirmed that the strength is also 1.8 times stronger than existing plastic parts, showing excellent reinforcement effect. The parts developed this time will be applied to agricultural electric vehicles to be released by Hyungje Partner Co., Ltd., an electric vehicle specialist company located in Gumi. Dr. Jung Yong-il said, "The agricultural electric vehicle equipped with these ecofriendly, low-carbon parts will complete commercial production by the end of this year, and after obtaining agricultural machinery certification, we plan to enter the Northern European and North American markets."

Hyungje Partner Co., Ltd.offering choices forvarious purposes

Various product lines

AGREV23-CA





AGREV21 / AGREV21-CA







AGREV7 / AGREV7-CA







AGREV10 / AGREV10-CA







HU2 / HU2-CA





HU5 / HU5-CA





HUD / HUD-CA





HU8 / HU7-Touring





HU13 / HU13-CA





Hyungje Partner used in variousplaces

Various product lines















HJP3000

HJP3000-CA











HUT Truck-CA

HJP Electric Locomotive

HJP Fire Truck

HJP Ambulance

Gyeongsangbuk-do Agricultural Research & Extension Services, Cheongdo Peach Research Institute, Boeun County Office, Incheon Grand Park, Pyeongchang National Institute of Animal Science, IncheonCity Hall, Gyeonggi Tourism Organization, Asan Facility Management Corporation, Korea Railroad Corporation, Korea Forest Service, Wonju Facility Management Corporation, Changdeokgung Palace, Kangwon National University Library, Sacheon City Natural Recreation Forest, Gyeongju Expo, Mungyeong Saejae Provincial Park, Busan Environmental Corporation, National Institute of Biological Resources, Nonsan City Park, City and County

Korea Hydro & Nuclear Power Plant, Dangjin Power Plant, Seo-Incheon Power Plant, Yecheon Pumped Storage Power Plant, Boryeong Thermal

Power Plant, Dangjin Thermal Power Plant, Hadong Thermal Power Plant, Busan Kori Nuclear Power Plant, Gunsan Power Plant, Sinanseong Power Plant, Taean Thermal Power Plant, GS EPS Power Plant, Busan LNG Power

Offices, Jeju National Satellite Operation Center

Suwon Air Force, Cheongju Air Force, Gimhae Air Force, Daegu Air Force, Navy 1st Maintenance Depot, Pyeongtaek Navy, Navy 3rd Fleet, Navy Logistics Command , Army 1stLogistics Support Group , Army 2nd Logistics Support Group , Gwangju Physical Training Center , Army Changwon Maintenance Depot, Coast Guard Maintenance Depot, etc.



Korea Racing Authority, LG Chem, KidZania, GS, Kangwon Land, Asan Rail Bike, Hansol Chemical, Korea United Pharm, Susan Industry, etc. KAIST, Kyungpook National University, Daegu Catholic University, Seoul National University Pyeongchang Campus, Sunmoon University, Soyang High School, etc

Seoul Grand Park, Hilton Hotel, Gyeongsangbuk-do Arboretum, Korea Expressway Corporation Arboretum, Jangheung Woodland, Bay Hill Pool & Villa, Dahyeon, Camphortree Hotel, JejuPhoenix Park, Lotte World

Paju Outlet, Yeoju Outlet, Siheung Outlet, Busan Outlet, Hyundai Department Store, Daegu Department




Powerful climbing ability












Powerful and ample battery application n (Large-capacity lead-acid battery / Lithiumbattery option





passenger cars



for comfortable ride like passenger cars







4-wheel electronic brake safe in any situation

AGREV23-CA NEW











Basic model		Additional purcha	ase options	
or 4.5kw/h specification (6.3horsepower)	No.	Item	Specification	Others
2.2E0/L)v1.E00(M)v1.1E0/LI\(mm\)	1	Premium lithium battery	110AH or higher	30/40kr
5,550(L)X1,500(W)X1,150(H) (IIIIII)	2	Aluminum wheels	13 inch 4 units	Standard equ
E poonlo	3	Wipers for rainy weather	12V	
o people	4	Rear camera	12V 2 channel	
5~25km/h	5	Emergency flasher	12V	Standard equ
J**ZJKIII/II	6	Black box	12V	
25~30km/h	7	Fan and cigar jack	12V	
23 30011/11	8	Warning light	12V	
1.000(L)v900(W)v250(H)(mm) One side open type	9	Additional portable charging cable	Spare parts	
1,000(L)x800(W)x230(H)(HIIII) Offe-side open type		Front steel bumper	Steel	
700, 900Kg (botton, not included)	11	Amp/Microphone/USB music	12V	
700~800kg (battery not included)	12	Company name sticker	Front/Rear	
ΛΟΟΚα	13	Heated seat	12V	
40006	14	1-side open loading box	1100/1100/250	
49\/ (hasia madal)	15	Undercoating	Black color	
46V (basic moder)	16	Additional roof LED headlight	2ES	
VC4 6kW	17	Automatic dump hydraulic pack	Dump only	
AC4.UKW	17	function for loading box	Dump and up/down	
Pagia model load gold 13\/ 13EAb	18	Box-type loading box(3-sideopen)	1000/1000/80	
Dasic Model lead-acid 12V 125AH	19	Power steering (electric)	EPS	
MacPhoreon strut indopendent suspension system	20	Seat belt	2-point type	
wace herson strut muependent suspension system	21	Air conditioning	800W	
Dies Turchudroulie broke (electronis basta)	22	Heating	800W	
DISC Typeriyuraulic brake (electronic brake)	23	Other option inquiries		
	Basic model or 4.5kw/h specification (6.3horsepower) 3,350(L)x1,500(W)x1,150(H) (mm) 5 people 5~25km/h 25~30km/h 1,000(L)x800(W)x250(H)(mm) One-side open type 700~800Kg (battery not included) 400Kg 48V (basic model) AC4.6kW Basic model lead-acid 12V 125Ah MacPherson strut independent suspension system Disc Typehydraulic brake (electronic brake)	or 4.5kw/h specification (6.3horsepower) No. 3,350(L)x1,500(W)x1,150(H) (mm) 1 2 3 5 people 4 5~25km/h 6 7 8 1,000(L)x800(W)x250(H)(mm) One-side open type 10 700~800Kg (battery not included) 11 12 13 48V (basic model) 15 AC4.6kW 17 Basic model lead-acid 12V 125Ah 18 19 20 Also Pherson strut independent suspension system 20 Pisc Typebudgoulie broke (electronic broke) 21	or 4.5kw/h specification (6.3horsepower) 3,350(L)x1,500(W)x1,150(H) (mm) 5 people 5 people 5 25km/h 25~30km/h 1,000(L)x800(W)x250(H)(mm) One-side open type 700~800Kg (battery not included) 400Kg 48V (basic model) AC4.6kW Basic model lead-acid 12V 125Ah MacPherson strut independent suspension system No. Item 1 Premium lithium battery 2 Aluminum wheels 3 Wipers for rainy weather 4 Rear camera 5 Emergency flasher 6 Black box 7 Fan and cigar jack 8 Warning light 9 Additional portable charging cable 10 Front steel bumper 11 Amp/Microphone/USB music 12 Company name sticker 13 Heated seat 14 1-side open loading box 15 Undercoating 16 Additional roof LED headlight 17 Automatic dump hydraulic pack function for loading box 18 Box-type loading box (3-sideopen) 19 Power steering (electric) 20 Seat belt 21 Air conditioning 22 Heating	No. Item Specification 3,350(L)x1,500(W)x1,150(H) (mm) 1 Premium lithium battery 2 Aluminum wheels 13 inch 4 units 3 Wipers for rainy weather 12V Annel 4 Rear camera 12V 2 channel 5 Emergency flasher 6 Black box 12V 1,000(L)x800(W)x250(H)(mm) One-side open type 1,000(L)x800(W)x250(H)(mm) One-side open type 10 Front steel bumper 11 Amp/Microphone/USB music 12V 1 Company name sticker 12V 1 Angremand cigar jack 12V 2 Additional portable charging cable 10 Front steel bumper 11 Amp/Microphone/USB music 12 Company name sticker 13 Heated seat 12V 14 1-side open loading box 1100/1100/250 15 Undercoating Black color 16 Additional roof LED headlight 2ES 17 Automatic dump hydraulic pack function for loading box 18 Box-type loading box 2-point type 19 Power steering (electric) 20 Seat belt 2-point type 21 Air conditioning 800W 22 Heating

11 10

AGREV21 NEW











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,350(L)x1,500(W)x1,150(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,500(L)x1,200(W)x250(H)(mm) One-side open type	
Vehicle weight	500~600Kg (battery not included)	
Loading capacity	400kg	
Drive type	48V (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system	Disc Typehydraulic brake (electronic brake)	

	Additional purchase options		
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	1133 innoch 44 cumitts	
3	Wipers for rainy weather	12V	×
4	Rear camera	12V 2channel	
5	Emergency flasher	12V	
6	Black box	12V	Standard equipm
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	1-side open loading box	1100/1100/250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	
17	function for loading box	Dump and up/down	
18	Box-type loading box(3-sideopen)	1000/1000/80	
19	Power steering (electric)	EPS	
20	Seat belt	2점식	
21	21 Air conditioning 800W 22 Heating 800W		×
22			×
23	Other option inquiries		

AGREV21-CA NEW











	Basic model	
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,350(L)x1,500(W)x1,850(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,500(L)x1,200(W)x250(H)(mm) One-side open type	
Vehicle weight	600~700Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48V (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system	Disc Typehydraulic brake (electronic brake)	

		Additional purcha	ise options	
Ī	No	Item	Specification	Others
	1	Premium lithium battery	110AH or higher	30/40km/H
	2	Aluminum wheels	13 inch 4 units	
Ī	3	Wipers for rainy weather	12V	Standard equipmen
	4	Rear camera	12V 2ch ann el	
	5	Emergency flasher	12V	Standard equipme
	6	Black box	12V	
	7	Fan and cigar jack	12V	
Ī	8	Warning light	12V	
	9	Additional portable charging cable	Spare parts	
	10	Front steel bumper	Steel	
	11	Amp/Microphone/USB music	12V	
	12	Company name sticker	Front/Rear	
	13	Heated seat	12V	
	14	3-side open loading box	1500/1350/250	
	15	Undercoating	Black color	
Ī	16	Additional roof LED headlight	2ES	
	17	Automatic dump hydraulic pack	Dump only	
	17	function for loading box	Dump and up/down	
	18	Box-type loading box(3-sideopen)	1000/1000/80	
Ī	19	Power steering (electric)	EPS	
Ī	20	Seat belt	2-point type	
Ī	21	Air conditioning	800W	
Ī	22	Heating	800W	
J	23	Other option inquiries		

AGREV7











Basic model Basic motor 4.5kw/h specification (6.3horsepower)		
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,100(L)x1,100(W)x250(H) (mm) One-side open type	
Vehicle weight	600~700Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48∀ (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)	

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2channel	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	3-side open loading box	1100/1100/250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	
17	function for loading box	Dump and up/down	
18	Box-type loading box(3-sideopen)	1000/1000/80	
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Air conditioning 800W		×
22	Heating	800W	×
23	23 Other option inquiries		

AGREV7-CA











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	2,450(L)x1,500(W)x1,350(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,100(L)x1,100(W)x250(H) (mm)One-side open type	
Vehicle weight	600~700Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48∀ (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)	

Additional purchase options				
No.	Item	Specification	Others	
1	Premium lithium battery	110AH or higher	30/40km/H	
2	Aluminum wheels	13 inch 4 units		
3	Wipers for rainy weather	12V		
4	Rear camera	12V 2channel		
5	Emergency flasher	12V		
6	Black box	12V		
7	Fan and cigar jack	12V		
8	Warning light	12V		
9	Additional portable charging cable	Spare parts		
10	Front steel bumper	Steel		
11	Amp/Microphone/USB music	12V		
12	Company name sticker	Front/Rear		
13	Heated seat	12V		
14	3-side open loading box	1100/1100/250		
15	Undercoating	Black color		
16	Additional roof LED headlight	2ES		
17	Automatic dump hydraulic pack	Dump only		
17	function for loading box			
18	Box-type loading box(3-sideopen)	1000/1000/80		
19	Power steering (electric)	EPS		
20	Seat belt	2-point type		
21	Air conditioning	800W	×	
22	Heating	800W	×	
23	Other option inquiries			

AGRFV10











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,350(L)x1,500(W)x1,700(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,500(L)x1,250(W)x250(H) (mm) One-side open type	
Vehicle weight	500~600Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48√ (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)	

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2channel	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	3-side open loading box	1100/1100/250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	
17	function for loading box	Dump and up/down	
18	Box-type loading box(3-sideopen)	1000/1000/80	
19	Power steering (electric)	EPS	
20	20 Seat belt 2-point type		
21	Air conditioning	800W	×
22	Heating	800W	×
23	Other option inquiries		

AGREV10-CA











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications 3,350(L)x1,500(W)x1,700(H) (mm)		
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,500(L)x1,250(W)x250(H) (mm) One-side open type	
Vehicle weight	700~800Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48V (b a sic mo d el)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system	Disc Typehydraulic brake (electronic brake)	

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Comp an y na me sticke r	Front/Rear	
13	Heated seat	12V	
14	3-side open loading box	1100/1100/250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack function for loading box	Dump only	
17		Dump and up/down	
18	Box-type loading box(3-sideopen)	1000/1000/80	
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Air conditioning	800W	
22	Heating	800W	
23	Other option inquiries		

HU2











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	2,820(L)x1,345(W)x1,900(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,100(L)x1,100(W)x250(H) (mm) One-side open type	
Vehicle weight	500~600Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48V (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)	

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2channel	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	3-side open loading box	1500/1350/250	×
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	×
17	function for loading box	Dump and up/down	×
18	Box-type loading box(3-sideopen)	1000/1000/80	×
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Air conditioning	800W	×
22	Heating	800W	×
23	Rain cover		
24	Other option inquiries		

HU2-CA











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	2,820(L)x1,425(W)x1,700(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,100(L)x1,100(W)x250(H) (mm) One-side open type	
Vehicle weight	600~700Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48V (b a sic mo d el)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear) Disc Typehydraulic brake (electronic brake)		

Additional purchase options				
No.	Item	Specification	Others	
1	Premium lithium battery	110AH or higher	30/40km/H	
2	Aluminum wheels	13 inch 4 units		
3	Wipers for rainy weather	12V		
4	Rear camera	12V 2ch ann el		
5	Emergency flasher	12V		
6	Black box	12V		
7	Fan and cigar jack	12V		
8	Warning light	12V		
9	Additional portable charging cable	Spare parts		
10	Front steel bumper	Steel		
11	Amp/Microphone/USB music	12V		
12	Company name sticker	Front/Rear		
13	Heated seat	12V		
14	3-side open loading box	1500/1350/250	×	
15	Undercoating	Black color		
16	Additional roof LED headlight	2ES		
17	Automatic dump hydraulic pack function for loading box	Dump only	×	
17		Dump and up/down	×	
18	Box-type loading box(3-sideopen)	1000/1000/80	×	
19	Power steering (electric)	EPS		
20	Seat belt	2-point type		
21	Air conditioning	800W		
22	Heating	800W		
23	Other option inquiries			

HU5











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,400(L)x1,425(W)x1,930(H) (mm)	
Seating capacity	5 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,000(L)x800(W)x250(H) (mm) One-side open type	
Vehicle weight	600~700Kg	
Loading capacity	400Kg	
Drive type	48V(b a sic mo d el)	
Motor	AC4.6kW	
Battery	B a sic model le ad-a cid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)	

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	1-side open loading box	1100/1100 /250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack function for loading box	Dump only	×
17		Dump and up/down	×
18	Box-type loading box(3-sideopen)	1000/1000/80	×
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Air conditioning	800W	×
22	Heating	800W	×
23	Rain cover		
24	Other option inquiries		

HU5-CA











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,400(L)x1,425(W)x1,700(H) (mm)	
Seating capacity	5 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,000(L)x800(W)x250(H) (mm) One-side open type	
Vehicle weight	700~800Kg (battery not included)	
Loading capacity	400Kg	
Drive type	48V (basic model)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system	ystem Disc Typehydraulic brake (electronic brake)	

Additional purchase options				
No.	Item	Specification	Others	
1	Premium lithium battery	110AH or higher	30/40km/H	
2	Aluminum wheels	13 inch 4 units		
3	Wipers for rainy weather	12V		
4	Rear camera	12V 2ch ann el		
5	Emergency flasher	12V		
6	Black box	12V		
7	Fan and cigar jack	12V		
8	Warning light	12V		
9	Additional portable charging cable	Spare parts		
10	Front steel bumper	Steel		
11	Amp/Microphone/USB music	12V		
12	Company name sticker	Front/Rear		
13	Heated seat	12V		
14	1-side open loading box	1100/1100/250		
15	Undercoating	Black color		
16	Additional roof LED headlight	2ES		
17	Automatic dump hydraulic pack	Dump only	×	
17	function for loading box	Dump and up/down	×	
18	Box-type loading box(3-sideopen)	1000/1000/80	×	
19	Power steering (electric)	EPS		
20	Seat belt	2-point type		
21	Air conditioning	800W		
22	Heating	800W		
23	Other option inquiries			

HUD











Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,400(L)x1,425(W)x1,930(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~30km/h	
Loading box	1,500(L)x1,250(W)x250(H) (mm) One-side open type	
Vehicle weight	600~700Kg	
Loading capacity	400Kg	
Drive type	48V (b a sic mo d el)	
Motor	AC4.6kW	
Battery	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)	

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	3-side open loading box	1500/1350/250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	
17	function for loading box	Dump and up/down	
18	Box-type loading box(3-sideopen)	1000/1000/80	
19	Power steering (electric)	EPS	
20	Se a t belt	2-point type	
21	Air conditioning	800W	×
22	Heating	800W	×
23	Other option inquiries		

HUD-CA











Basic model	
Basic motor 4.5kw/h specification (6.3horsepower)	
Specifications	3,400(L)x1,425(W)x1,700(H) (mm)
Seating capacity	2 people
Driving speed	5~25km/h
Operating distance	25~30km/h
Loading box	1,500(L)x1,250(W)x250(H) (mm) One-side open type
Vehicle weight	700~800Kg
Loading capacity	400Kg
Drive type	48V(b a sic mo d el)
Motor	AC4.6kW
Battery	B a sic mo d el le ad-a ci d 12V 125Ah
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	3-side open loading box	1500/1350/250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	
17	function for loading box	Dump and up/down	
18	Box-type loading box(3-sideopen)	1000/1000/80	
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Air conditioning	800W	
22	Heating	800W	
23	Other option inquiries		

HU8



In production

CUSTOM MADE

Can be produced with your desired design and characters







Production completed



Basic model	
Basic motor 4.5kw/h specification (6.3horsepower)	
Specifications	4,450(L)x1,450(W)x1,890(H) (mm)
Seating capacity	8 people
Driving speed	5~25km/h
Operating distance	25~30km/h
Loading box	1,000(L)x800(W)x250(H) (mm) One-side open type
Vehicle weight	700~800Kg (battery not included)
Loading capacity	400Kg
Drive type	48V (b a sic mo d el)
Motor	AC4.6kW
Battery	Basic model lead-acid 12V 125Ah
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)

Additional purchase options			
No.	Item	Specification	Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker	Front/Rear	
13	Heated seat	12V	
14	1-side open loading box	1100/1100 /250	
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	×
17	function for loading box	Dump and up/down	×
18	Box-type loading box(3-sideopen)	1000/1000/80	×
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Ai r co nd itioning	800W	×
22	Heating	800W	×
23	Rain cover		
24	Other option inquiries		

HU7-Touring



In production

CUSTOM MADE

Can be produced with your desired design and characters



Production completed











Basic model	
Basic motor 4.5kw/h specification (6.3horsepower))	
Specifications	3,400(L)x1,425(W)x1,930(H) (mm)
Seating capacity	7 people
Driving speed	5~25km/h
Operating distance	25~30km/h
Loading box	3rd row seat 2-seater
Vehicle weight	600~700Kg (battery not included)
Loading capacity	400Kg
Drive type	48V (b a sic mo d el)
Motor	AC4.6kW
Battery	Basic model lead-acid 12V 125Ah
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)

Additional purchase options				
No.	Item	Specification	Others	
1	Premium lithium battery	110AH or higher	30/40km/H	
2	Aluminum wheels	13 inch 4 units		
3	Wipers for rainy weather	12V		
4	Rear camera	12V 2ch ann el		
5	Emergency flasher	12V		
6	Black box	12V		
7	Fan and cigar jack	12V		
8	Warning light	12V		
9	Additional portable charging cable	Spare parts		
10	Front steel bumper	Steel		
11	Amp/Microphone/USB music	12V		
12	Company name sticker	Front/Rear		
13	Heated seat	12V		
14	3-side open loading box	1500/1350/250	×	
15	Undercoating	Black color		
16	Additional roof LED headlight	2ES		
17	Automatic dump hydraulic pack	Dump only	×	
17	function for loading box	Dump and up/down	×	
18	Box-type loading box(3-sideopen)	1000/1000/80	×	
19	Power steering (electric)	EPS		
20	Seat belt	2-point type		
21	Air conditioning	800W	×	
22	Heating	800W	×	
23	Rain cover			
24	Other option inquiries			

HU13-Touring











Dasic	
Basic motor 4.5kw/h specification (6.3horsepower)	
Specifications	4,600(L)x1,480(W)x1,950(H) (mm)
Seating capacity	13 people
Driving speed	25km/h
Operating distance	25~30km/h
Loading box	1,000(L)x800(W)x250(H)(mm) One -side open type or rear 2-row seats
Vehicle weight	800~900Kg(battery not included)
Loading capacity	400Kg
Drive type	48V(b a sic mo d el)
Motor	AC4.6kW
Battery	B a sic model le ad-a cid 12V 125Ah
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system (front/rear)	Disc Typehydraulic brake (electronic brake)

Additional purchase options			
No.	Item Specification Other		Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Warning light	12V	
9	Additional portable charging cable Spare parts		
10	Front steel bumper Steel		
11	Amp/Microphone/USB music 12V		
12	Company name sticker Front/Rear		
13	Heated seat	12V	
14	3-side open loading box	1500/1350/250	×
15	Undercoating Black color		
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	X
17	function for loading box	Dump and up/down	X
18	3-side open loading box	1000/1000/80	X
19	Power steering (electric) EPS		
20	Seat belt	2-point type	
21	Air conditioning	800W	×
22	Heating	800W	×
23	Rain cover		
24	Other option inquiries		

HU13-CA









	Basic model
Basic motor 4.5kw/h specification (6.3horsepower)	
Specifications	4,600(L)x1,480(W)x1,950(H) (mm)
Seating capacity	13people
Driving speed	5~25km/h
Operating distance	25~30km/h
Loading box	1,000(L)x800(W)x250(H)(mm) Excluding loading box / rear 2-row seats
Vehicle weight	900~1,000Kg (battery not included)
Loading capacity	-
Drive type	48V (b a sic mo d el)
Motor	AC4.6kW
Battery	Basic model lead-acid 12V 125Ah
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system	Disc Typehydraulic brake (electronic brake)

Additional purchase options			
No.	Item Specification		Others
1	Premium lithium battery	110AH or higher	30/40km/H
2	Aluminum wheels	13 inch 4 units	
3	Wipers for rainy weather	12V	
4	Rear camera	12V 2ch ann el	
5	Emergency flasher	12V	
6	Black box	12V	
7	Fan and cigar jack	12V	
8	Additional portable charging cable	12V	
9	Warning light	Spare parts	
10	Front steel bumper	Steel	
11	Amp/Microphone/USB music	12V	
12	Company name sticker Front/Rear		
13	Heated seat 12V		
14	3-side open loading box 1500/1350/250		×
15	Undercoating	Black color	
16	Additional roof LED headlight	2ES	
17	Automatic dump hydraulic pack	Dump only	×
17	function for loading box	Dump and up/down	×
18	Box-type loading box(3-sideopen)	1000/1000/80	×
19	Power steering (electric)	EPS	
20	Seat belt	2-point type	
21	Air conditioning	800W	
22	Heating	800W	
23	Other option inquiries		

HUD2000



HJP2000 (3-wheel)



HJP3000



HUD3000-CA



Specification

Basic model	
	Basic motor 4.5kw/hspecification (6.3horsepower)
Specifications	3,200(L)x1,250(W)x1,380(H) (mm)
Seating capacity	2 people
Driving speed	5~25km/h
Operating distance	25~60km/h
Curb weight	1,400(L)x1,100(W)x400(H) (mm)
Loading box	1,380Kg
Loading capacity	2,000Kg
Drive type	48V (b a sic mo d el)
Motor	AC 4.6Kw
Battery/Charging power	Basic lead-acid 12V 125Ah / AC220V 60Hz
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system (front/rear)	Disc Type hydraulic brake (electronic brake)

Specification

Basic model		
	Basic motor 4.5kw/h specification (6.3horsepower)	
Specifications	3,000(L)x1,110(W)x1,480(H) (mm)	
Seating capacity	1 person	
Driving speed	5~25km/h	
Operating distance	25~60km/h	
Loading box	1,400(L)x1,100(W)x400(H) (mm)	
Curb weight	1,500Kg	
Loading capacity	3,000Kg	
Drive power	150HP	
Controllor	AC-only 48V	
Battery/Charging power	DC48V, 240A/AC220V 60Hz	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Type hydraulic brake (electronic brake)	

Specification

	Basic model
Basic motor 4.5kw/h specification (6.3horsepower)	
Specifications	3,800(L)x1,300(W)x1,400(H) (mm)
Seating capacity	1 person
Driving speed	5~25km/h
Operating distance	25~60km/h
Loading box	1,500(L)x1,200(W)x250(H)(mm)
Curb weight	1,500Kg
Loading capacity	3,000Kg
Drive type	48V (b a sic mo d el)
Motor	AC 4.5Kw
Battery/Charging power	B a sic mo d el le ad-a ci d 12V 125Ah
Suspension (front/rear)	MacPherson strut independent suspension system
Braking system (front/rear)	Disc Type hydraulic brake (electronic brake)

Specification

Basic model		
Basic motor 4.5kw/h specification (6.3horsepower)		
Specifications	3,200(L)x1,450(W)x1,380(H) (mm)	
Seating capacity	2 people	
Driving speed	5~25km/h	
Operating distance	25~60km/h	
Loading box	1,400(L)x1,100(W)x400(H) (mm)	
Curb weight	1,380Kg	
Loading capacity	2,000Kg	
Drive type	48V (b a sic mo d el)	
Motor	AC 4.5Kw	
Battery/Charging power	Basic model lead-acid 12V 125Ah	
Suspension (front/rear)	MacPherson strut independent suspension system	
Braking system (front/rear)	Disc Type hydraulic brake (electronic brake)	

CUSTOM MADE

Domestically produced ecofrenidly zero-emission electric vehicle

Order the vehicle you want according to your purpose and usage!

- ♥ Order the vehicle you want according to your purposeand usage!
- order the vertice year want according to year purposed in accept
- Rental available
- Applicable for tours in tourist attractions and recreational facilities, tours and experiences during various local events, play experiences in cities and parks and movement and experiences in large shopping malls
- ▼ Concept vehicles tailored to model similarity
- ▼ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to model characteristics

 ✓ Visual representation of realism according to the realism









Product introduction

Hyungjea Partner Co.,Ltd


CUSTOM MADE

Domestically produced ecofriendly zero-emission electric vehicle















Publi Procurement
Service Purchase route



Search for Hyungje Partner • Q



AGREV21-CA



HU5-CA



HUD-CA







It is a golf cart-based electric multi-purpose carrier that allows for private contracts.



A private contract is a method of concluding a contract with a specific person who is qualified to fulfill the contract content without competitive bidding.



Advantages of using Venture Korea

- Minimize the hassle of purchasing through private contracts instead of bidding
- Save expenses and personnel compared to bidding
- Companies with verified credit
- Promotion of small and medium-sized enterprise product purchases based on the Small and Medium Enterprise
 Market Promotion Act



As a domestic excellent procurement product, vehicle after-sales service can be smoothly conducted domestically



Small and Medium Enterprise Market Promotion Act related laws Act on the Promotion of

- Purchase of Small and Medium Enterprise Products and Support for Development of TheirMarkets (Act No. 17243)
- Enforcement Decree of the Act on the Promotion of Purchase of Small and Medium Enterprise Products and Support for Development of Their Markets (Presidential Decree No. 31221)
- Enforcement Rule of the Act on the Promotion of Purchase of Small and Medium Enterprise Products and Support for Development of Their Markets (Ministry of SMEs and Startups Ordinance No. 27)

News from Hyungje Partner can be found on the company's website and YouTube. For purchase inquiries and vehicle A/S, please call for consultation



